Focus Area 16: Maternal, Infant, and Child Health

Objective 16-5a targets the reduction in maternal complications during hospitalized labor and delivery to a rate of 24.0 per 100 deliveries.

Hospital discharge records with a complication of labor and delivery code in any diagnostic field indicate a non-significant decline from 15.5 per 100 deliveries (percent) in 2000 to 15.3 percent in 2005 (Figure 16-5a, Table 16-5a). The most frequently listed principal diagnosis was hypertention (ICD-9-CM code 642), followed by other current conditions complicating preganacy, childbirth, or the puerperium (ICD-9-CM codes 648.0 [diabetes mellitus], 648.5 [congenital cardiovascular disorders], 648.6 [other cardiovascular diseases], and 648.8 [abnormal glucose tolerance]), and by delivery trauma codes 664 [trauma to perineum and vulva during delivery] and 665 [other obstetrical trauma]. California's rates of maternal complications during hospitalized labor and delivery were significantly lower than the target established in HP2010, and this objective is being achieved.

Data by race and ethnicity show that the highest rates of hospitalized labor and delivery complications were found for Blacks/African Americans (16.7 percent in 2005), followed by Asians/Pacific Islanders (significant decline from 17.1 percent in 2000 to 16.4 percent in 2005), Others/Unknowns (significant increase from 15.3 percent in 2000 to 16.3 percent in 2005), American Indians/Alaska Natives (15.5 percent in 2005), Whites (15.0 percent in 2005) and Hispanics/Latinos (15.0 percent in 2005). This HP2010 objective is being achieved for females of all racial and ethnic populations hospitalized for labor and delivery.

Examined by age of mother, labor and delivery complication rates were highest for females under 15 years of age (18.3 percent in 2005) followed by females aged 15-19 years (17.7 percent in 2005). The HP2010 objective is being achieved for females of all age groups hospitalized for labor and delivery.

For more information on maternal complications of labor and delivery in California, visit the Maternal and Child Health Branch Web site at:

http://www.mch.dhs.ca.gov/

For more information on Healthy People 2010 objective 16-5a please visit:

http://www.healthypeople.gov/Document/HTML/Volume2/16MICH.htm#_Toc494699661

and

http://www.healthypeople.gov/Document/html/tracking/od16.htm#maternaldeaths




Table 16-5a: Maternal Complications During Hospitalized Labor and Delivery, California 2000-2005

| Objective 16-5a | | 2000 | | Lower | Upper | | 2001 | | Lower | Upper |
|-------------------------------|--------------------|-------------------------|-------------------|-------|-------|--------------------|-------------------------|-------------------|-------|-------|
| | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. |
| Healthy People 2010 Target | | | 24.0 | | | | | 24.0 | | |
| Statewide Total | 79,516 | 513,506 | 15.5 | 15.4 | 15.6 | 77,225 | 508,211 | 15.2 | 15.1 | 15.3 |
| | | | | | | | | | | |
| Race-Ethnicity of Mother | | | | | | | | | | |
| African American/Black | 5,077 | 30,107 | 16.9 | 16.4 | 17.3 | 4,739 | 28,863 | 16.4 | 16.0 | 16.8 |
| American Indian/Alaska Native | 204 | 1,193 | 17.1 | 15.0 | 19.2 | 254 | 1,380 | 18.4 | 16.4 | 20.5 |
| Asian/Pacific Islander | 8,338 | 48,759 | 17.1 | 16.8 | 17.4 | 8,128 | 48,027 | 16.9 | 16.6 | 17.3 |
| Hispanic/Latino | 34,887 | 232,659 | 15.0 | 14.8 | 15.1 | 34,861 | 234,665 | 14.9 | 14.7 | 15.0 |
| White | 27,328 | 176,746 | 15.5 | 15.3 | 15.6 | 25,562 | 171,488 | 14.9 | 14.7 | 15.1 |
| Other/Unknown | 3,680 | 24,039 | 15.3 | 14.9 | 15.8 | 3,680 | 23,775 | 15.5 | 15.0 | 15.9 |
| Maternal Age Group | | | | | | | | | | |
| Under 15 | 192 | 907 | 21.2 | 18.5 | 23.8 | 143 | 835 | 17.1 | 14.6 | 19.7 |
| 15 - 19 | 9,250 | 54,089 | 17.1 | 16.8 | 17.4 | 8,921 | 51,631 | 17.3 | 17.0 | 17.6 |
| 20 - 24 | 17,787 | 117,880 | 15.1 | 14.9 | 15.3 | 17,456 | 118,105 | 14.8 | 14.6 | 15.0 |
| 25 - 29 | 19,918 | 135,096 | 14.7 | 14.6 | 14.9 | 19,301 | 131,856 | 14.6 | 14.4 | 14.8 |
| 30 - 34 | 18,819 | 123,409 | 15.2 | 15.0 | 15.4 | 18,528 | 123,366 | 15.0 | 14.8 | 15.2 |
| 35 and over | 13,550 | 82,125 | 16.5 | 16.2 | 16.8 | 12,876 | 82,418 | 15.6 | 15.4 | 15.9 |

| Objective 16-5a | | 2002 | | Lower | Upper | | 2003 | | Lower | Upper |
|-------------------------------|--------------------|-------------------------|-------------------|-------|-------|--------------------|-------------------------|-------------------|-------|-------|
| | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. |
| Healthy People 2010 Target | | | 24.0 | | | | | 24.0 | | |
| Statewide Total | 76,799 | 510,438 | 15.0 | 14.9 | 15.1 | 79,142 | 521,682 | 15.2 | 15.1 | 15.3 |
| | | | | | | | | | | |
| Race-Ethnicity of Mother | | | | | | | | | | |
| African American/Black | 4,559 | 27,838 | 16.4 | 15.9 | 16.8 | 4,535 | 27,484 | 16.5 | 16.1 | 16.9 |
| American Indian/Alaska Native | 205 | 1,186 | 17.3 | 15.1 | 19.4 | 239 | 1,320 | 18.1 | 16.0 | 20.2 |
| Asian/Pacific Islander | 8,425 | 50,040 | 16.8 | 16.5 | 17.2 | 8,631 | 52,212 | 16.5 | 16.2 | 16.8 |
| Hispanic/Latino | 34,773 | 236,596 | 14.7 | 14.6 | 14.8 | 35,755 | 242,894 | 14.7 | 14.6 | 14.9 |
| White | 24,967 | 170,654 | 14.6 | 14.5 | 14.8 | 26,157 | 174,080 | 15.0 | 14.9 | 15.2 |
| Other/Unknown | 3,866 | 24,112 | 16.0 | 15.6 | 16.5 | 3,815 | 23,589 | 16.2 | 15.7 | 16.6 |
| Maternal Age Group | | | | | | | | | | |
| Under 15 | 148 | 855 | 17.3 | 14.8 | 19.8 | 132 | 724 | 18.2 | 15.4 | 21.0 |
| 15 - 19 | 8,288 | 48,943 | 16.9 | 16.6 | 17.3 | 8,161 | 48,216 | 16.9 | 16.6 | 17.3 |
| 20 - 24 | 17,409 | 118,338 | 14.7 | 14.5 | 14.9 | 17,527 | 118,980 | 14.7 | 14.5 | 14.9 |
| 25 - 29 | 19,261 | 132,546 | 14.5 | 14.3 | 14.7 | 20,065 | 135,855 | 14.8 | 14.6 | 15.0 |
| 30 - 34 | 18,835 | 125,615 | 15.0 | 14.8 | 15.2 | 19,743 | 130,120 | 15.2 | 15.0 | 15.4 |
| 35 and over | 12,858 | 84,141 | 15.3 | 15.0 | 15.5 | 13,514 | 87,787 | 15.4 | 15.2 | 15.6 |

| Objective 16-5a | | 2004 | | Lower | Upper | | 2005 | | Lower | Upper |
|-------------------------------|--------------------|-------------------------|-------------------|-------|-------|--------------------|-------------------------|-------------------|-------|-------|
| | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. | Comps ¹ | Deliveries ² | Rate ³ | C.I. | C.I. |
| Healthy People 2010 Target | | | 24.0 | | | | | 24.0 | | |
| Statewide Total | 79,306 | 525,625 | 15.1 | 15.0 | 15.2 | 80,796 | 529,521 | 15.3 | 15.2 | 15.4 |
| Race-Ethnicity of Mother | | | | | | | | | | |
| African American/Black | 4,546 | 27,462 | 16.6 | 16.1 | 17.0 | 4,615 | 27,712 | 16.7 | 16.2 | 17.1 |
| American Indian/Alaska Native | , | 1.449 | 15.4 | 13.5 | 17.2 | 215 | , | 15.5 | 13.4 | 17.6 |
| Asian/Pacific Islander | 8,827 | 53,317 | 16.6 | 16.2 | 16.9 | 8,599 | , | 16.4 | 16.0 | 16.7 |
| Hispanic/Latino | 36,632 | 249,692 | 14.7 | 14.5 | 14.8 | 38,267 | 255,136 | 15.0 | 14.8 | 15.1 |
| White | 25,873 | 173,948 | 14.9 | 14.7 | 15.0 | 25,588 | 171,007 | 15.0 | 14.8 | 15.1 |
| Other/Unknown | 3,200 | 19,746 | 16.2 | 15.7 | 16.7 | 3,510 | 21,596 | 16.3 | 15.7 | 16.8 |
| Maternal Age Group | | | | | | | | | | |
| Under 15 | 121 | 695 | 17.4 | 14.6 | 20.2 | 139 | 758 | 18.3 | 15.3 | 21.4 |
| 15 - 19 | 8,327 | 48,729 | 17.1 | 16.8 | 17.4 | 8,676 | 49,046 | 17.7 | 17.3 | 18.1 |
| 20 - 24 | 17,584 | 119,296 | 14.7 | 14.5 | 14.9 | 18,152 | 120,835 | 15.0 | 14.8 | 15.2 |
| 25 - 29 | 19,785 | 136,802 | 14.5 | 14.3 | 14.6 | 20,393 | 138,501 | 14.7 | 14.5 | 14.9 |
| 30 - 34 | 19,638 | 130,262 | 15.1 | 14.9 | 15.3 | 19,268 | 129,275 | 14.9 | 14.7 | 15.1 |
| 35 and over | 13,851 | 89,841 | 15.4 | 15.2 | 15.7 | 14,168 | 91,106 | 15.6 | 15.3 | 15.8 |

SOURCE: Office of Statewide Health Planning and Development, Patient Discharge Data Files, 2000-2005.

NOTES: ¹ Labor and delivery complications defined by ICD-9-CM codes 641.0-641.9, 642.0-642.7, 642.9, 643.2, 646.2, 646.6-646.7, 648.0, 648.5-648.6, 648.8, 658.4, 659.2, 659.3, 664.2-664.3, 664.5, 665, 666, 668, 669.0-669.4, 670, 671.3-671.5, 672, 673, 674.0-674.3, 674.8-674.9 in any diagnostic field.

- $^{2}\,$ Hospital deliveries only; a "delivery" is defined by DRG codes 370-375.
- ³ Rate per 100 deliveries (percent).